NAME

vnStat image output - png image output support for vnStat

SYNOPSIS

```
vnstati [ -cdhimorstv? ] [ -i interface ] [ --hours ] [ --days ] [ --months ] [ --top10 ] [ --summary
] [ -hs ] [ --hsummary ] [ -vs ] [ --vsummary ] [ -ne ] [ --noedge ] [ -nh ] [ --noheader ] [ --rate ]
[ --output file ] [ --cache time ] [ --iface interface ] [ --config file ] [ --help ] [ --version ]
```

DESCRIPTION

The purpose of **vnstati** is to provide image output support for statistics collected using **vnstat**(1). The image file format is limited to png. All basic outputs of vnStat are supported excluding live traffic features. The image can be outputted either to a file or to standard output.

OPTIONS

-s, --summary

Output traffic summary.

-hs, --hsummary

Output traffic summary including hourly data using a horizontal layout.

-vs, --vsummary

Output traffic summary including hourly data using a vertical layout.

-d, --days

Output traffic for days.

-h, --hours

Output traffic for the last 24 hours.

-m, --months

Output traffic for months.

-t, --top10

Output all time top10 traffic days.

-ne, --noedge

Remove darker edges from around the image.

-nh, --noheader

Remove header containing title and update time. Time of the previous update will still be visible in the lower right corner using a less visible color.

-r, --rate

Show traffic in hourly output as hourly average rate instead of showing how much was transferred. This option has effect only when the selected output contains the hourly output.

-o, --output file

Write png image to *file* and exit. Output can be directed to stdout by giving "-" as filename.

-c, --cache time

Update output file only if at least *time* minutes have passed since the previous file update. This option is ignored if stdout is used as output.

-i, --iface interface

Use interface instead of default or configured interface.

--config file

Use *file* as config file instead of using normal config file search function.

-?, --help

Show a command summary.

-v, --version

Show current version.

FILES

/var/lib/vnstat/

Default database directory. Files are named according to the monitored interfaces.

/etc/vnstat.conf

Config file that will be used unless \$HOME/.vnstatrc exists. See **vnstat.conf**(1) for more information.

EXAMPLES

vnstati -s -i eth0 -o /tmp/vnstat.png

Output traffic summary for interface eth0 to file /tmp/vnstat.png.

vnstati -h -c 15 -o /tmp/vnstat_h.png

Output hourly traffic statistics for default interface to file /tmp/vnstat_h.png if the file has not been updated within the last 15 minutes.

vnstati -d -ne -nh -o -

Output daily traffic statistics without displaying the header section and edges for default interface to standard output (stdout).

vnstati -m --config /home/me/vnstat.cfg -i -o -

Output monthly traffic statistics for default interface specified in configuration file /home/me/vn-stat.cfg to standard output (stdout).

AUTHOR

Teemu Toivola <tst at iki dot fi>

SEE ALSO

vnstat(1), vnstatd(1), vnstat.conf(1), units(7)